



FORM PTO-1449 TO BE FILED WITH  
INFORMATION DISCLOSURE STATEMENT

U.S. Department of Commerce	:	Atty. Docket No.: OSU1159-166B
Patent and Trademark Office	:	Serial No.: 10/649,046
	:	Filing Date: August 27, 2003
SUPPLEMENTAL INFORMATION	:	Applicant: Berger
DISCLOSURE STATEMENT	:	Group Art Unit: 2811
BY APPLICANTS	:	Examiner: Nadav

OTHER DOCUMENTS

SWL 1. Amlani, I. et al., Digital Logic Gate Using Quantum-Dot Cellular Automata, *Science*, 284, pp. 289-291 (April 9, 1999).

SWL 2. Fay, P. et al., Integration of InAs/AlSb/GaSb Resonant Interband Tunneling Diodes with Heterostructure Field-Effect Transistors for Ultra-High-Speed Digital Circuit Applications, *IEEE*, pp. 162-165 (1999).

SWL 3. Fay, P. et al., A New Integrated Laboratory Course for Microwave Circuit Design and Measurements, *International Conference on Engineering and Computer Education*, Rio de Janeiro, 4 pages (August, 1999).

SWL 4. Klimeck, G. et al., Development of a Nanoelectronic 3-D (NEMO 3-D) Simulator for Multimillion Atom Simulations and Its Application to Alloyed Quantum Dots, 35 pages (January 7, 2002).

SWL 5. Nayak, D. et al., Rapid Thermal Oxidation of GeSi Strained Layers, *Appl. Phys. Lett.*, 56, pp. 66-68 (January 1, 1990).

Examiner	CRANE	Date Considered	8/2005
----------	-------	-----------------	--------

Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

22  
The identification of any document herein is not intended to be, and should not be understood as being, an admission that each such document, in fact, constitutes "prior art" within the meaning of applicable law since, for example, a given document may have a later effective date than at first seems apparent or the document may have an effective date which can be antedated. The "prior art" status of any document is a matter to be resolved during prosecution.

CRANE

5/2005



FORM PTO-1449 TO BE FILED WITH  
INFORMATION DISCLOSURE STATEMENT

U.S. Department of Commerce : Atty. Docket No.: OSU1159-166B  
Patent and Trademark Office : Serial No.: 10/649,046  
: Filing Date: August 27, 2003  
INFORMATION : Applicant: Berger  
DISCLOSURE STATEMENT : Group Art Unit: 2811  
BY APPLICANTS : Examiner: Not Known

U.S. PATENT DOCUMENTS

Examiner's Initial	Document Number	Date	Name	Class/Sub-class
	NONE			

FOREIGN PATENT DOCUMENTS

Examiner's Initial	Document Number	Date	Country/Name	Translation yes/no
	NONE			

OTHER DOCUMENTS

- SWC 1. Ahn, S.J. et al., Asynchronous analogue-to-digital converter for single-electron circuits, *Electronics Letters*, 34, pp. 172-173 (1998).
- SWC 2. Amlani, I. et al., Demonstration of a six-dot quantum cellular automata system, *Applied Physics Letters*, 72, pp. 2179-2181 (1998).
- SWC 3. Arai, K. et al., Static Frequency Divider Featuring Reduced Circuit Complexity by Utilizing Resonant Tunneling Diodes in Combination with HEMT's, *IEEE Electron Device Letters*, 18, pp. 544-546 (1997).
- SWC 4. Avrutin, V.S. et al., Silicon molecular beam epitaxial growth on ultra-small mesa structures, *Journal of Crystal Growth*, 157, pp. 276-279 (1995).

CRANE

5/2005

5. Ben-Jacob, E. et al., DNA transistor and quantum bit element: Realization of nano-biomolecular logical devices, *Physics Letters A*, 263, pp. 199-202 (1999).

6. Bennett, C.H. et al., Mixed-state entanglement and quantum error corrections, *Physical Review A*, 54, pp. 3824-3851 (1996).

7. Berger, P.A. et al., Role of strain and growth conditions on the growth front profile of  $\text{In}_x\text{Ga}_{1-x}\text{As}$  on GaAs during the pseudomorphic growth regime, *Appl. Phys. Letter*, 53, pp. 684-686 (1988).

8. Broekaert, T.P.E. et al., A Monolithic 4-Bit 2-Gsps Resonant Tunneling Analog-to-Digital Converter, *IEEE Journal of Solid-State Circuits*, 33, pp. 1342-1349 (1998).

9. Chan, H.L. et al., Compact Multiple-Valued Multiplexers Using Negative Differential Resistance Devices, *IEEE Journal of Solid-State Circuits*, 31, pp. 1151-1156 (1996).

10. Fay, P. et al., Fabrication of Monolithically-Integrated  $\text{InAlAs}/\text{InGaAs}/\text{InP}$  HEMTs and  $\text{InAs}/\text{AlSb}/\text{GaSb}$  Resonant Interband Tunneling Diodes, *IEEE Transaction on Electron Devices*, 48, pp. 1282-1284 (2001).

11. Feldheim, D.L. et al., Self-assembly of single electron transistors and related devices, *Chemical Society Reviews*, 27, pp. 1-12 (1998).

12. Fujisawa, T. et al., Resonant tunneling properties of single electron transistors with a novel double-gate geometry, *Appl. Phys. Lett.*, 68, pp. 526-528 (1996).

13. Fujiwara, A. et al., Double-Island Single-Electron Devices-A Useful Unit Device for Single-Electron Logic LSI's, *IEEE Transactions on Electron Devices*, 46, pp. 954-959 (1999).

14. Fulton, T.A. et al., Observation of Single-Electron Charging Effects in Small Tunnel Junctions, *Physical Review Letters*, 59, pp. 109-112 (1987).

CRANG

5/2005

15. Fulton, T.A. et al., Determination of Coulomb-Blockade Resistances and

SWC Observation of the Tunneling of Single Electrons in Small-Tunnel-Junction Circuits,  
*Physical Review Letters*, 67, pp. 3148-3151 (1991).

16. Hobart, K.D. et al., Growth of low-dimensional structures on nonplanar patterned

SWC substrates, *Journal of Crystal Growth*, 157, pp. 338-343 (1995).

17. Fukuda, H. et al., Fabrication of silicon nanopillars containing polycrystalline

SWC silicon/insulator multilayer structures, *Appl. Phys. Lett.*, 70, pp. 333-335 (1997).

18. Jancu, J.M. et al., Empirical *spds*\* tight-binding calculation for cubic

SWC semiconductors: General method and material parameters, *Physical Review B*, 57, pp. 6493-6507 (1998).

19. Jin, G. et al., Control of the arrangement of self-organized Ge dots on patterned

SWC Si(001) substrates, *Thin Solid Films*, 369, pp. 49-54 (2000).

20. Kamins, T.I. et al., Lithographic positioning of self-assembled Ge islands on

SWC Si(001), *Appl. Phys. Lett.*, 71, pp. 1201-1203 (1997).

21. LeGoues, F.K. et al., Kinetics and mechanism of oxidation of SiGe: dry versus wet

SWC oxidation, *Appl. Phys. Lett.*, 54, pp. 644-646 (1989).3

22. LeGoues, F.K. et al., Oxidation studies of SiGe, *J. Appl. Phys.*, 65, pp. 1724-1728,

SWC (1989).

23. Lent, C.S. et al., Lines of interacting quantum-dot cells: A binary wire, *J. Appl.*

SWC *Phys.*, 74, pp. 6227-6233 (1993).

24. Likharev, K.K., Single-Electron Devices and Their Applications, *Proceedings of the*

SWC *IEEE*, 87, pp. 606-632 (1999).

CRANE

5/2005

25. Liou, H.K., et al. Effects of Ge concentration on SiGe oxidation behavior, *Appl.*

*Phys. Lett.*, 59, pp. 1200-1202 (1991).

26. Liu, H.I. et al., Self-limiting oxidation of Si nanowires, *J. Vac. Sci. Technol. B.*,

11(6), pp. 2532-2537 (1993).

27. Liu, H.I. et al., Self-limiting oxidation for fabricating sub-5 nm silicon nanowires,

*Appl. Phys. Lett.*, 64, pp. 1383-1385 (1994).

28. Mo, Y.W. et al., Mimetic Pathway In Stranski-Krastanov Growth of Ge on Si(001),

*Physical Review Letters*, 65, pp. 1020-1023 (1990).

29. Nakazato, K. et al., Single-Electron Memory, *Electronics Letters*, 29, pp. 384-385

(1993).

30. Nayak, D.K. et al., Wet oxidation of GeSi strained layers by rapid thermal

processing, *Appl. Phys. Lett.*, 57, pp. 369-371 (1990).

31. Orlov, A.O. et al., Realization of a Functional Cell for Quantum-Dot Cellular

Automata, *Science*, 277, pp. 928-930 (1997).

32. Orlov, A.O. et al., Experimental demonstration of a binary wire for quantum-dot

cellular automata, *Applied Physics Letters*, 74, pp. 2875-2877 (1999).

33. Pamulapati, J. et al., Realization of In-Situ Sub Two-Dimensional Quantum

Structures by Strained Layer Growth Phenomena in the  $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{GaAs}$  System,

*Journal of Electronic Materials*, 25, pp. 479-483 (1996).

34. Pashkin, Y.A. et al., Room-temperature Al single-electron transistor made by

electron-beam lithography, *Applied Physics Letters*, 76, pp. 2256-2258 (2000).

35. Pooley, D.M. et al., Coulomb blockade in silicon nano-pillars, *Applied Physics*

*Letters*, 74, pp. 2191-2193 (1999).

CRANE

5/2005

SWL 36. Pooley, D.M. et al., Fabrication and electron transport in multilayer silicon-insulator-silicon nanopillars, *J. Vac. Sci. Technol. B.*, 17(6), pp. 3235-3238 (1999).

37. Prabhakaran, K. et al., *In situ* oxidation of a thin layer of Ge on Si(001):

SWL Observation of Ge to SiO<sub>2</sub> transition, *Appl. Phys. Lett.*, 62, pp. 864-866 (1993).

38. Prabhakaran, K. et al., Oxidation of Ultrathin SiGe Layer on Si(001): Evidence for Inward Movement of Ge, *Jpn. J. Appl. Phys.*, 33, pp. 1837-1838 (1994).

SWL 39. Prabhakaran, K. et al., Fabrication of multiperiod Si/SiO<sub>2</sub>/Ge layered structure through chemical bond manipulation, *Applied Physics Letters*, 72, pp. 3169-3171 (1998).

SWL 40. Schittenhelm, P. et al., Photoluminescence study of the crossover from two-dimensional to three-dimensional growth for Ge on Si(100), *Appl. Phys. Lett.*, 67, pp. 1292-1294 (1995).

SWL 41. Schmidt, O.G. et al., Formation of carbon-induced germanium dots, *Appl. Phys. Lett.*, 71, pp. 2340-2342 (1997).

SWL 42. Schoelkopf, R.J., The Radio-Frequency Single-Electron Transistor (RF-SET): A Fast and Ultrasensitive Electrometer, *Science*, 280, pp. 1238-1242 (1998).

SWL 43. Seabaugh, A. et al., Resonant Tunneling Circuit Technology: Has it Arrived?, *IEEE*, pp. 119-122 (1997).

SWL 44. Seabaugh, A. et al., Transistors and Tunnel Diodes For Analog/Mixed-Signal Circuits and Embedded Memory, *IEEE*, pp. 429-432 (1998).

SWL 45. Shao, X. et al., Strain modification in thin Si<sub>1-x-y</sub>Ge<sub>x</sub>C<sub>y</sub> alloys on (100) Si for formation of high density and uniformity sized quantum dots, *Journal of Applied Physics*, 85, pp. 578-582 (1999).

CRANE

5/2005

46. Shen, J. et al., Static Random Access Memories Based on Resonant Interband

SWL Tunneling Diodes in the InAs/GaSb/AlSb Material System, *IEEE Electron Device Letters*, 16, pp. 178-180 (1995).

47. Shimizu, N. et al.,  $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{AlAs}$  resonant tunnelling diodes with switching time of 1.5ps, *Electronics Letters*, 31, pp. 1695-1697 (1995).

SWL 48. Stein, H.J. et al., Hydrogen-accelerated thermal donor formation in Czochralski silicon, *Appl. Phys. Lett.*, 56, pp. 63-65 (1990).

SWL 49. Sunamura, H. et al., Island formation during growth of Ge on Si(100): A study using photoluminescence spectroscopy, *Appl. Phys. Lett.*, 66, pp. 3024-3026 (1995).

SWL 50. Takahashi, Y. et al., Size Dependence of the Characteristics of Si Single-Electron Transistors on SIMOX Substrates, *IEEE Transactions on Electron Devices*, 43, pp. 1213-1217 (1996).

SWL 51. Telchert, C. et al., Self-Organization in Growth of Quantum Dot Superlattices, *Physical Review Letters*, 76, pp. 1675-1678 (1996).

SWL 52. Tougaw, P.D. et al., Bistable saturation in coupled quantum-dot cells, *J. Appl. Phys.*, 74, pp. 3558-3566 (1993).

SWL 53. Tsukagoshi, K., Operation of logic function in a Coulomb blockade device, *Applied Physics Letters*, 73, pp. 2515-2517 (1998).

SWL 54. Tucker, J.R., Complementary digital logic based on the "Coulomb blockade", *J. Appl. Phys.*, 72, pp. 4399-4413 (1992).

SWL 55. Usami, N. et al., Realization of crescent-shaped SiGe quantum wire structures on a V-groove patterned Si substrate by gas-source Si molecular beam epitaxy, *Appl. Phys. Lett.*, 63, pp. 2789-2791 (1993).

CRANE

5/2005



56. van der Wagt, J.P.A. et al., RTD/HFET Low Standby Power SRAM Gain Cell, *IEEE Electron Device Letters*, 19, pp. 7-9 (1998).
57. van der Wagt, J.P.A., Tunneling-Based SRAM, *Proceedings of the IEEE*, 87, pp. 571-595 (1999).
58. Waho, T. et al., Resonant-Tunneling Diode and HEMT Logic Circuits with Multiple Thresholds and Multilevel Output, *IEEE Journal of Solid-State Circuits*, 33, pp. 268-274 (1998).
59. Wang, X. et al., Germanium dots with highly uniform size distribution grown on Si(100) substrate by molecular beam epitaxy, *Appl. Phys. Lett.*, 71, pp. 3543-3545 (1997).
60. Wei, Y. et al., Controlled growth of SiO<sub>2</sub> tunnel barrier and crystalline Si quantum wells for Si resonant tunneling diodes, *J. Appl. Phys.*, 81, pp. 6415-6424 (1997).
61. Wilk, G.D. et al., Electrical Characteristics of High-Quality Sub-25-Å Oxides Grown by Ultraviolet Ozone Exposure at Low Temperature, *IEEE Electron Device Letters*, 20, pp. 132-134 (1999).
62. Xie, Y.H. et al., Relaxed template for fabricating regularly distributed quantum dot arrays, *Appl. Phys. Lett.*, 71, pp. 3567-3568 (1997).
63. Yano, K. et al., Room-Temperature Single-Electron Memory, *IEEE Transactions on Electron Devices*, 41, pp. 1628-1638 (1994).
64. Yoshikawa, N. et al., Complementary Digital Logic Using Resistively Coupled Single-Electron Transistor, *Jpn. J. Appl. Phys.*, 35, pp. 1140-1145 (1996).
65. Yoshikawa, N. et al., Single Electron Transfer Logic Gate Family, *Jpn. J. Appl. Phys.*, 38, pp. 433-438 (1999).

CRANE

5/2005

66. Zhu, J.H. et al., Two-dimensional ordering of self-assembled Ge islands on

SWC vicinal Si(001) surfaces with regular ripples, *Applied Physics Letters*, 73, pp. 620-622

(1998).

Examiner	CRANE	Date Considered	5/2005
----------	-------	-----------------	--------

Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

The identification of any document herein is not intended to be, and should not be understood as being, an admission that each such document, in fact, constitutes "prior art" within the meaning of applicable law since, for example, a given document may have a later effective date than at first seems apparent or the document may have an effective date which can be antedated. The "prior art" status of any document is a matter to be resolved during prosecution.